

Lift Cylinders

Aluminum cylinders are corrosion resistant.

Lightboxes

Mounted independently above gearbox covers.

Exterior Sheeting

Side wall & flat front wall (aluminum or stainless steel, insulation optional) attached to steel body with high strength adhesives.





Front Bearing Assembly Heavy duty outboard design for easier maintenance.



Heavy Duty Roller Chain 4" pitch chain with frictionless z-bar design. Sprocket & chain guide profile capable of reversing option.



Exterior Mounted Lines Air & electrical mounted standard w/ aluminum covers or optional stainless steel.



Push Block Stable assembly that transfers rear pushing force directly to the frame.



Chain Oiler & Brushes Located at front idler for better oil distributuion & accessibility.



Upper Coupler/King Pin Bolt-on design allows for simpler maintenance and better access.

INCREASED VOLUME. EFFICIENT UNLOADING.

Designed for strength and speed – the TKLBH delivers! The frictionless drive system provides efficient horizontal discharge, in one revolution or less! The aerodynamic design features smooth side panels, providing corrosion prevention and a clean shiny finish. Maximize payloads and maintain high levels of maneuverability with multiple axle configurations. This trailer ensures a high level of return on investment with consistent performance.

A HEAVY LIVE BOTTOM

Find your nearest rep: www.TrailKing.com/find-a-rep #LOOKFORTHETRIANGLES D © FI D @trailkingind



Low maintenance protection.

MODEL OLB 44





TRAIL KING

Δ

LOOKING FOR MORE?

STANDARD FEATURES

Navigate to www.trailking.com, and click on the SOLUTIONS tab. Each product page includes specifications, video, literature, images, services information and our official color card.



Electric Cab Control (standard) with rear over-ride.



Aluminum Spray Tank Pressurized with large relief cap. Regulated (to adjust pressure), with 30ft of hose + nozzle.



Flip-Up Mud Flaps Convenient hinged design for better paver hopper clearance. Optional auto flip-up shown.



Cast Steel Mountings Round hopper cross members attached to sidewall with cast steel mountings.



Hydrostatic Drive Single or dual direct hydrostatic drive w/ double reduction planetary gearbox and drive tube.



Hopper Walls Constructed with longer lasting .160" (4mm) thick AR450 wear plate (rear half standard, full length optional).

OVER 30 YEARS OF Live Bottom Experience

Trail King has been delivering dependable asphalt and asphalt-related material hauling solutions to the paving industry since 1987, longer than any other trailer manufacturer.





TKLBH334









TKLBH SPECIFICATIONS

MODEL	332	334	436	443	544	840
Capacity	36 cu. yds	38 cu. yds	40 cu. yds	48 cu. yds	49 cu. yds	45 cu. yds
Overall Length (A)	37' 2"	39' 2"	41' 2"	48' 2"	49' 2"	45' 2"
Overall Height (B)	10' 4"	10' 4"	10' 4"	10' 4"	10' 4"	10' 4"
Overall Width	102"	102"	102"	102"	102"	102"
Number of Axles	3	3	4	4	5	8
Empty Weight +/- 3%	17,200 lbs.	17,600 lbs.	20,900 lbs.	22,300 lbs.	25,265 lbs.	29,000 lbs.
King Pin Height (C)	49"	49"	49"	49"	49"	49"
King Pin to Center of Last Axle (D)	31' 11"	33' 11"	35' 11"	42' 11"	43' 11"	39' 8"

OTHER POPULAR OPTIONS

- Tarp systems manual and electric
- Aluminum or Stainless sheeting/insulation
- Air lift suspensions
- Flow control valve
- Pressurized 12-gal. spray system (aluminum tank)
- Paint options

- Multiple axle configurations
- Air-Ride suspensions
- · Gravel service belt in lieu of heat and oil resistant

See your local dealer for a full list of available options.

- Plastic half-round rear fender options
- Tire and wheel options
- Dual drive system

COMPREHENSIVE SUPPORT UNMATCHED SERVICE



From financing a trailer, to a complete refurbishment at our Factory Service Center, Trail King is there to keep your team hauling, day in and day out. Our trusted network of dealers and certified experts are ready to assist you.

KEEP YOUR TEAM HAULING. Instantly access over 10,000 on-hand parts and a variety of online tools. All Trail King Certified dealers, fleets, and service facilities can place same-day shipping orders for convenient and efficient ordering. Customers looking for more information can contact a local Trail King dealer or submit direct inquiries to **parts@trailking.com**.

PROTECT YOUR INVESTMENT. Extend the life of your trailer and increase future resale value by restoring it through Trail King's factory refurbishment program. Customers can request a free estimate for comprehensive refurbishments or specified repairs by visiting **trailking.com/refurb-service.** Our expert technicians specialize in Trail King equipment, but we also welcome other trailer brands.

100% EQUIPMENT FINANCING! Competitive rates and flexible terms are designed to make a Trail King purchase affordable, convenient, and secure. Trail King's innovative payment program operates with an understanding of the changing demands businesses face. Our full suite of financing structures, including Loans, Finance Leases, and TRAC Leases, makes it easier than ever before to own a Trail King trailer.

TRAIL KING IS BUILDING SUCCESS.

Trail King Industries, Inc., headquartered in Mitchell, SD, is the leading manufacturer of open deck and materials hauling trailers for the asphalt paving, construction, commercial hauling, agriculture, and specialized transport industries.

Over the years, Trail King has always kept one thing a top priority, our customers' success. Our trailers are customized for unique challenges and together we can create a solution that is just right for your team.

We don't just build trailers. We design hauling solutions.







300 East Norway Ave. Mitchell, SD 57301 | 800-843-3324 | trailking.com © 2021 Trail King Industries. All rights reserved.

trailking.com/TKLBH