

△ MATERIALS HAULING

TRAIL KING



TKLB

LIVE BOTTOM

Lift Cylinders

Aluminum cylinders are corrosion resistant.


Lightboxes

Mounted independently above gearbox covers.



Front Bearing Assembly

Heavy duty outboard design for easier maintenance.



Exterior Mounted Lines

Air & electrical mounted standard w/ aluminum covers or optional stainless steel.



Chain Oiler & Brushes

Located at front idler for better oil distribution & accessibility.



Heavy Duty Roller Chain

4" pitch chain with frictionless z-bar design. Sprocket & chain guide profile capable of reversing option.



Exterior Sheeting

Side wall & flat front wall (aluminum or stainless steel, insulation optional) attached to steel body with high strength adhesives.



Upper Coupler/King Pin

Bolt-on design allows for simpler maintenance and better access.



MODEL OLB 23

TRAIL KING **LIVE BOTTOM**


SAFE. FAST. UNIFORM. MORE EFFICIENT DELIVERY.

Designed for strength and speed – this live bottom delivers! Our innovative TKLB distributes weight to maximize your payload and maintain high levels of maneuverability with multiple axle configurations.

The frictionless drive system provides efficient horizontal discharge while unloading in one revolution or less! The aerodynamic design features smooth side panels, providing corrosion prevention and a clean shiny finish. This trailer will provide a high level of return on your investment with consistent performance.

Find your nearest rep: www.TrailKing.com/find-a-rep

#LOOKFORTHETRIANGLES

     @trailkingind



Electric Cab Control
(standard) with rear over-ride.



Flip-Up Mud Flaps
Convenient hinged design for better paver hopper clearance. Optional auto flip-up.



Hydrostatic Drive
Single or dual direct hydrostatic drive w/ double reduction planetary gearbox and drive tube.



Aluminum Spray Tank
Pressurized with large relief cap. Regulated (to adjust pressure), with 30ft of hose + nozzle.









Cast Steel Mountings
Round hopper cross members attached to sidewall with cast steel mountings.



Hopper Walls
Constructed with longer lasting .160" (4mm) thick AR450 wear plate (rear half standard, full length optional).

OVER 30 YEARS OF LIVE BOTTOM EXPERIENCE

Trail King has been delivering dependable asphalt and asphalt-related material hauling solutions to the paving industry since 1987, longer than any other trailer manufacturer.



TKLB SPECIFICATIONS

MODEL	226-102	426-102	332-102	236-96	336-102	440-102
Capacity	24 cu. yds	24 cu. yds	29 cu. yds	28 cu. yds	32 cu. yds	35 cu. yds
Overall Length (A)	31' 2"	31' 2"	37' 2"	41' 2"	41' 2"	45' 2"
Overall Height (B)	9' 4"	9' 4"	9' 4"	8' 11" (96" body)	9' 4"	9' 4"
Overall Width	102"	102"	102"	102"	102"	102"
Number of Axles	2	4	3	2	3	4
Empty Weight +/- 3%	12,000 lbs.	15,130 lbs.	15,170 lbs.	13,300 lbs.	15,570 lbs.	17,230 lbs.
King Pin Height (C)	49"	49"	49"	49"	49"	49"
King Pin to Center of Last Axle (D)	25' 11"	25' 11"	31' 11"	35' 11"	35' 11"	39' 11"

OTHER POPULAR OPTIONS

See your local dealer for a full list of available options.

- Tarp systems - manual and electric
- Aluminum or Stainless sheeting/insulation
- Air lift suspensions
- Flow control valve
- Pressurized 12-gal. spray system (aluminum tank)
- Paint options

- Multiple axle configurations
- Air-Ride suspensions
- Gravel service belt in lieu of heat and oil resistant
- Plastic half-round rear fender options
- Tire and wheel options
- Dual drive system

All specifications are subject to change without notice. Trailers pictured in this brochure may feature optional equipment.

PROTECT YOUR INVESTMENT COMPREHENSIVE SUPPORT UNMATCHED SERVICE



From financing a trailer, to a complete refurbishment at our Factory Service Center, Trail King is there to keep your team hauling, day in and day out. Our trusted network of dealers and certified experts are ready to assist you.

△ PARTS

KEEP YOUR TEAM HAULING. Instantly access over 10,000 on-hand parts and a variety of online tools. All Trail King Certified dealers, fleets, and service facilities can place same-day shipping orders for convenient and efficient ordering. Customers looking for more information can contact a local Trail King dealer or submit direct inquiries to parts@trailking.com.

△ REFURB

PROTECT YOUR INVESTMENT. Extend the life of your trailer and increase future resale value by restoring it through Trail King's factory refurbishment program. Customers can request a free estimate for comprehensive refurbishments or specified repairs by visiting trailking.com/refurb-service. Our expert technicians specialize in Trail King equipment, but we also welcome other trailer brands.

△ FINANCE

100% EQUIPMENT FINANCING! Competitive rates and flexible terms are designed to make a Trail King purchase affordable, convenient, and secure. Trail King's innovative payment program operates with an understanding of the changing demands businesses face. Our full suite of financing structures, including Loans, Finance Leases, and TRAC Leases, makes it easier than ever before to own a Trail King trailer.

TRAIL KING IS BUILDING SUCCESS.

Trail King Industries, Inc., headquartered in Mitchell, SD, is the leading manufacturer of open deck and materials hauling trailers for the asphalt paving, construction, commercial hauling, agriculture, and specialized transport industries.

Over the years, Trail King has always kept one thing a top priority, our customers' success. Our trailers are customized for unique challenges and together we can create a solution that is just right for your team.

We don't just build trailers. We design hauling solutions.



trailking.com / TKLB

300 East Norway Ave. Mitchell, SD 57301 | 800-843-3324 | trailking.com

© 2021 Trail King Industries. All rights reserved.

