



STANDARD FEATURES



Two-Piece Rolled Tub The abrasion-resistant tub is constructed of two rolled pieces of 6mm Hardox 450. The round bottom delivers fast, clean dumping of the load away from the trailer, with no "carry back". The fewer weld seams, minimizes likelihood of cracking. This tub design results in weight savings.



Increased Stability An additional center tub pivot provides a smoother dumping process with no wheel hop at the end of the dump cycle while maintaining a dump angle of 41 degrees.



5" Cylinders

5" bore, single-stage cylinders offer a smooth, fast dump cycle for faster cycle times. The single-stage cylinders are low maintenance. Two-pin mounting makes them easily removable if they need to be repaired or replaced.



One-Piece Fabricated I-Beam Trail King I-beams are constructed of one-piece web and flange material. The result is a mainframe that is stronger, with less twisting and a significant improvement in stability.



Plastic Rounded Fenders Rugged, flexible, impact-absorbent plastic rounded fenders (front and rear) shed falling debris to protect both the trailer and wheels. Improved tarp and truck fender clearance increases durability.



Control Kit Trail King Side Dump trailers come standard with a trailer-mounted cab control kit. Consistent componentry makes maintenance easy between models and ensures long-term committment.

STEEL SIDE DUMP

VIAVAV

DESIGNED TO PERFORM Engineered to last.

The two-piece rolled design of Trail King's Steel Side Dump tub delivers a fast, stable unloading process ensuring materials are dumped further away and eliminating carry back. Main frame I-beams constructed of one-piece web and flange material, result in a trailer with the rugged strength and durability to stand up to your toughest loads. There is no limit to what this trailer can haul.



Popular Options

- · Electric tarp systems
- Additional light packages
- Tarp safety switch
- Pintle Hitch

Find your nearest rep: www.TrailKing.com/find-a-rep #LOOKFORTHETRIANGLES III III Comparison



LOOKING FOR MORE?

Navigate to www.trailking.com, and click on the SOLUTIONS tab. Each product page includes specifications, video, literature, images, services information and our official color card.



Removable Kingpin Standard drop-in removable kingpin, greaseless bushings, remote cylinder grease lines and bolt-on parts provide ease of maintenance.



Tub Pivots

Feature an extended alignment guide so the pivot bushing returns to sit perfectly in the pivot saddle. The larger bearing surfaces reduce wear and provide full contact with the pivot bar for a stronger, more secure lock down. All pivot points are mounted on full-width I-beam cross members for the most load-bearing strength.



New Tub Geometry

Drastically increases tub to truck clearance when dumping. Improves cycle stability, and provides better rear-view visibility and component protection.

STRONG & STABLE

TO STAND UP TO YOUR TOUGHEST LOADING & HAULING NEEDS

TKSSD STANDARD EQUIPMENT:	TKSSD-202	TKSSD-302	TKSSD-362, 402	TKSSD-413, 433, 473	TKSSD-484	TKSSD-495
Design payload	30,000 lbs.	40,000 lbs.	60,000 lbs.	63,000 lbs.	66,000 lbs.	70,000 lbs
Axles	2	2	2	3	4	5
Overall Length	20'2"	29'11"	35'11" - 39'8"	40'8" - 46'8"	47'8"	49'0"
Tub Length	18'	28'	34'	36'	36'	39'
Overall Height	9'10"	9'10"	9'10"	9'10"	9'11"	9'11"
Capacity (Water Level)	11 cu.yds.	17 cu. yds.	21 cu. yds.	22 cu. yds.	22 cu. yds.	24 cu. yds
Capacity (Full)	15 cu.yds.	23 cu.yds.	28 cu.yds.	30 cu.yds.	30 cu.yds.	32 cu.yds.
KP to Center of Last Axle	15'11"	26'2"	32'2" - 35'11"	36'11" - 42'11"	43'11"	45'3"
Empty Weight +/- 3%	11,460 lbs.	12,745 lbs.	14,010 - 14,310	16,465 - 17,000 lbs.	19,226 lbs.	22,060 lbs
Zinc-Rich Primer and polyurethane paint	Х	Х	Х	Х	Х	Х

ADDITIONAL STANDARD EQUIPMENT:

- Hardox 450 abrasion resistant tub
- . 5" dia. hydraulic cylinders
- Air ride suspension
- 8.25 x 22.5 steel wheels
- · Automatic slack adjusters with 16.5" x 7" air brakes

- 11R22.5 x 14 Radial tires
- · Pin style landing gear
- · Impact-absorbent plastic fenders front and back
- · Lightweight bolt in push block
- LED lights

COMPREHENSIVE SUPPORT UNMATCHED SERVICE



From financing a trailer, to a complete refurbishment at our Factory Service Center, Trail King is there to keep your team hauling, day in and day out. Our trusted network of dealers and certified experts are ready to assist you.

KEEP YOUR TEAM HAULING. Instantly access over 10,000 on-hand parts and a variety of online tools. All Trail King Certified dealers, fleets, and service facilities can place same-day shipping orders for convenient and efficient ordering. Customers looking for more information can contact a local Trail King dealer or submit direct inquiries to **parts@trailking.com**.

PROTECT YOUR INVESTMENT. Extend the life of your trailer and increase future resale value by restoring it through Trail King's factory refurbishment program. Customers can request a free estimate for comprehensive refurbishments or specified repairs by visiting **trailking.com/refurb-service.** Our expert technicians specialize in Trail King equipment, but we also welcome other trailer brands.

100% EQUIPMENT FINANCING! Competitive rates and flexible terms are designed to make a Trail King purchase affordable, convenient, and secure. Trail King's innovative payment program operates with an understanding of the changing demands businesses face. Our full suite of financing structures, including Loans, Finance Leases, and TRAC Leases, makes it easier than ever before to own a Trail King trailer.

TRAIL KING IS BUILDING SUCCESS.

Trail King Industries, Inc., headquartered in Mitchell, SD, is the leading manufacturer of open deck and materials hauling trailers for the asphalt paving, construction, commercial hauling, agriculture, and specialized transport industries.

Over the years, Trail King has always kept one thing a top priority, our customers' success. Our trailers are customized for unique challenges and together we can create a solution that is just right for your team.

We don't just build trailers. We design hauling solutions.



ourcewell

Awarded Contract

trailking.com/TKSSD

300 East Norway Ave. Mitchell, SD 57301 | 800-843-3324 | trailking.com © 2023 Trail King Industries. All rights reserved.